

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	35	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) same (data near instruction) and (data near source)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 13:54
S2	5	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) same (distribut\$3 near2 database) and (data near source)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 13:55
S3	166	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with (data near source)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 13:57
S4	21	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with (data near source) same (updat\$3 (bridg\$3 near gap) modify mapp\$3)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 13:59
S5	145	S3 not S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:02
S6	10	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with (data near structure) same (data near source)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:11
S7	21	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with (structure (data near structure)) same (data near source)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:13
S8	787	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with source) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:46

S9	1	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with source with (attribute\$1 metadata)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:47
S10	292	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with (attribute\$1 metadata)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:47
S11	7	S8 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 14:48
S12	14	S8 and (value\$1 with (attribute\$1 metadata)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:02
S13	0	S8 and (distribut\$3 near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:03
S14	0	S8 and (distribut\$3 near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:03
S15	0	S8 and (consolidat\$3 with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:04
S16	14	S8 and (consolidat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:05
S17	2240	(707/791,802,803,804,806-811).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:53

S18	1	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2)) with value\$1 with source) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:54
S19	3	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:54
S20	3	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2)) with source) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:54
S21	20	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2))) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:57
S22	16	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2)) and updat\$3) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 15:58
S23	20	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2))) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:00
S24	8	S17 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2)) and (database near2 structure)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:00
S25	2	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with source and (database near2 structure)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:01
S26	125	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with source and ((multiple plurality) near3 source\$1)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:20

S27	56	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with value \$1 with source and ((multiple plurality) near3 source\$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:23
S28	13	S27 and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:23
S29	152	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with ((multiple plurality) near source\$1)) and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:24
S30	157	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with ((multiple plurality) near source\$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:25
S31	58	S30 and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/28 16:25
S32	1067	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source and ((multiple plurality) near3 source \$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:15
S33	1067	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1 and ((multiple plurality) near3 source\$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:16
S34	73	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) same value with source\$1 and ((multiple plurality) near3 source\$1)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:16
S35	405	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1 and ((multiple plurality) near3 source\$1)).clm. and @pd<"20021229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:17

S36	0	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1 and ((multiple plurality) near3 source\$1) and ((document log) with (updat merg\$3 bridg\$3))).clm. and @pd<"20021229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:18
S37	9	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1 and ((multiple plurality) near3 source\$1) and (document log)).clm. and @pd<"20021229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:18
S38	13	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1 with value and ((multiple plurality) near3 source\$1)).clm. and @pd<"20021229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:19
S39	7	((multi\$dimension\$2 dimensions (multi near dimension\$2)) with source \$1 and ((mapp\$3 updat\$3 modif\$4) with (multiple plurality) near3 source \$1)).clm. and @pd<"20021229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:23
S40	2264	(707/791,802,803,804,806-811).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:24
S41	0	S40 and ((multi\$dimension\$2 dimension\$1 (multi near dimension \$2)) same value\$1 same source).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:24
S42	58	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with ((multiple plurality) near source\$1)).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:25
S43	214	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1) and (updat\$3 gap mapp\$3 bridg \$3)).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:27
S44	2	((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1) and (updat\$3 gap mapp\$3 bridg \$3) and report).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:27

S45	63	(((multi\$dimension\$2 dimension\$1 (multi near dimension\$2)) with source \$1) same (updat\$3 gap mapp\$3 bridg\$3)).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:28
S46	5	(((multi\$dimension\$2 (multi near dimension\$2)) with source\$1) same (updat\$3 gap mapp\$3 bridg\$3)).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:28
S47	14	(((multi\$dimension\$2 (multi near dimension\$2)) with source\$1) and (updat\$3 gap mapp\$3 bridg\$3)).clm. and @pd<"20021210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/02 14:29

2/ 2/ 2011 3:36:40 PM

C:\ Documents and Settings\ tpham10\ My Documents\ EAST\ Workspaces\ 10538664secondupdate.w sp